

Automatyczne monorail 3

10808

Maximum detail size W600 H2000 D3200mm

Conveyor speed 1.5m/min

Hall dimensions 64000x14450mm

Conveyor length: 235mb

Surface preparation: 8-stage tunnel car wash MT1-8

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)



Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H2500 W1300

Paint return: CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-12H



10809

Maximum detail size W500 H2500 D1500mm

Conveyor speed 0.8m/min

Hall dimensions 27000x12000mm

ROMER - Producent wysokiej jakości lakierni proszkowych

Conveyor length: 105mb

Surface preparation: 3-stage tunnel car wash MT1-3

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 10 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)




Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H2500 W1300

Paint return: CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-12H



10810

Maximum detail size W300 H1300 D600mm

Conveyor speed 0.5m/min

Hall dimensions 20000x10000mm

Conveyor length: 90mb

Surface preparation: 3-stage tunnel car wash MT1-3

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 6 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)

Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H2000 W900

Paint return: CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-8H

