

Automatyczne monorail 2

6400

Maximum detail size W500 H2400 D2000mm

Conveyor speed 1m/min

Hall dimensions 21000x16000mm

Conveyor length: 125mb

Surface preparation: 3-stage tunnel car wash MT1-3

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 8 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H2000 W900

Paint return: CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-8H



7583

Maximum detail size W600 H2500 D3000mm

Conveyor speed 1.5m/min

Hall dimensions 30600x20000mm

Conveyor length: 180mb

Surface preparation: 3-stage tunnel car wash MT1-3

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

ROMER - Producent wysokiej jakości lakierni proszkowych

Application: dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)



Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H3000 W1300

Paint return: CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-12H



10813

Maximum detail size W600 H2500 D3000mm

Conveyor speed 1.5m/min

Hall dimensions 30600x20000mm

Conveyor length: 180mb

Surface preparation: 3-stage tunnel car wash MT1-3

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)

ROMER - Producent wysokiej jakości lakierni proszkowych



Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H3000 W1300

Paint return: CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-12H



10812

Maximum detail size W300 H2000 D2000mm

Conveyor speed 1.5m/min

Hall dimensions 16000x14000mm

Conveyor length: 107mb

Surface preparation: 3-stage tunnel car wash MT1-3

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 6 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H2000 W900

Paint return: CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-8H



6591

Maximum detail size W300 H2000 D2000mm

Conveyor speed 1.5m/min

Hall dimensions 16000x14000mm

Conveyor length: 107mb

Surface preparation: 5-stage tunnel car wash MT1-5

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 6 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H2000 W900

Paint return: CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-8H



7178

Maximum detail size W500 H2500 D2500mm

Conveyor speed 1.5m/min

Hall dimensions 53000x14000mm

ROMER - Producent wysokiej jakości lakierni proszkowych

Conveyor length: 170mb

Surface preparation: 5-stage tunnel car wash MT1-5

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 10 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H3000 W1300

Paint return: CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-12H



8318

Maximum detail size W300 H1500 D2000mm

Conveyor speed 1.2m/min

Hall dimensions 37300x10000mm

Conveyor length: 135mb

Surface preparation: 3-stage tunnel car wash MT1-3

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 8 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H2000 W900

Paint return: CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-8H



8688

Maximum detail size W500 H1600 D2500mm

Conveyor speed 1m/min

Hall dimensions 50000x14000mm

Conveyor length: 175mb

Surface preparation: 3-stage tunnel car wash MT1-3

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 6 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)



Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H2000 W1300

Paint return: CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-8H



8902

Maximum detail size W500 H2600 D3000mm

Conveyor speed 1m/min

Hall dimensions 42000x16000mm

Conveyor length: 165mb

Surface preparation: 5-stage tunnel car wash MT1-5

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)



Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H3000 W1300

Paint return: CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-12H



9053

Maximum detail size W80 H500 D500mm

Conveyor speed 1m/min

Hall dimensions 60000x10000mm

Conveyor length: 125mb

ROMER - Producent wysokiej jakości lakierni proszkowych

Surface preparation: 3-stage tunnel car wash MT1-3

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 8 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)



Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H2000 W900

Paint return: CK-D1250 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-8H



9266

Maximum detail size W1000 H2000 D2000mm

Conveyor speed 1m/min

Hall dimensions 30500x20000mm

Conveyor length: 145mb

Surface preparation: 3-stage tunnel car wash MT1-3

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1



Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 10 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)

Vertical axis Z: MA1-18 manipulator - 2pcs

Dust Collector: Final filter OZ-12H



9751

Maximum detail size W500 H2000 D2500mm

Conveyor speed 0.7m/min

Hall dimensions 28800x14800mm

Conveyor length: 115mb

Surface preparation: 3-stage tunnel car wash MT1-3

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 12 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


Vertical axis Z: MA1-18 manipulator - 2pcs

Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H2000 W900

Paint return: CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-12H



10807

Maximum detail size W500 H2000 D2500mm

Conveyor speed 1m/min

Hall dimensions 35000x20000mm

Conveyor length: 140mb

Surface preparation: 3-stage tunnel car wash MT1-3

Drying after surface preparation: PA-1

Automatic painting: Plastic cabin with gates in two axes for quick color changes KAP-1

Polymerization: Panel oven PA-1

Transport system: Monorail chain conveyor TA-1

Application: dual axis measurement system Automatic applicators ProfiSpray A - 10 pcs

Powder center: ProfiCenter CP-02-24 (with automatic tank cleaning, paint scale and ultrasonic sieve)


Vertical axis Z: MA1-18 manipulator - 2pcs


Horizontal axis X: Access axle MX1-100 - 2 pcs

panel dryer Workpiece measurement system: BP-H2000 W1300

Paint return: CK-D1400 cyclone dust collector equipped with a dense phase pump RP-01

Dust Collector: Final filter OZ-12H





ROMER